

Press Release

Oerlikon Manmade Fibers segment at the Achema in Frankfurt, Germany

Spotlight on polycondensation systems and precision metering pumps

Remscheid, May 22, 2015 – At this year's Achema, taking place between June 15 and 19, 2015 in Frankfurt, Germany, Oerlikon Barmag is putting the information spotlight both on precision metering pumps for the chemical industry and polycondensation systems (Hall 8, Stand E4).

It all starts with polycondensation

The basis for high-quality yarn is homogeneous melt. Producing precisely this is the task of the high-end Oerlikon Barmag polycondensation systems for fiber-grade and bottle-grade polyester melt and granulate.

The benefits of operating an in-house polycondensation system are plain for the yarn manufacturer to see: in addition to being independent of other granulate manufacturers, short-term price fluctuations within the raw materials market and the influence on the quality of the raw material, it is above all the added value that is most likely to result in higher profits.

Oerlikon Barmag offers all process steps from a single source – from supplying the terephthalic acid, the polycondensation system and the spinning plant all the way through to the texturing equipment. Optimum coordination of the individual production steps and system parts is guaranteed as is the superlative product quality and the tremendous efficiency of the production – from the melt to yarn.

Pumps for all cases

Oerlikon Barmag pumps are deployed in numerous challenging processes within the chemical, plastics, dyes and lacquers industries and in PUR applications. The requirements for challenging processes in the chemical industry are extremely high. One of the biggest challenges is metering poorly-lubricating media. With the GM and GA ranges and the corresponding components, Oerlikon Barmag supplies veritable all-rounders for numerous applications. The high-speed pump in particular fulfills the expectations of the chemical industry with its sealed product space.

High-speed metering pump meters poorly-lubricating media

The new Oerlikon Barmag high-speed metering pump has been especially developed for metering poorly-lubricating media. "The high-speed pump is particularly advantageous in the chemical industry, which conveys aggressive acids", reports Thorsten Wagener, the salesman responsible for industrial and chemical application pumps at Oerlikon Barmag.

The main advantage of the pump is the sealed product space. The space within the pump that comes into contact with the media is therefore limited to the area around the gears. The external, ball-bearing support points in the high-speed pump are externally lubricated, hence ensuring that the product to be metered is not damaged as a result of poor lubrication. This ensures that the pump is extremely durable.

Furthermore, the enlarged speed range (30 - 500 rpm) permits a large application range for which several pumps of varying sizes have had to be used to date. This cuts back on conversion times, while simultaneously reducing spare parts inventories. With its low weight of 1.4 kg, the compact pump (ø65mm) promises both considerable space savings and less wear on the machine.

GM range under the most challenging conditions

The pumps in the GM and GA series provide precision metering with low-pulsation feeding of the conveying medium. The multi-stage GM pump conveys low-viscosity media (i.e. 250 bar, 100 mPas) even under high pressure and in the most challenging conditions. The square design from the proven GM series is the standard pump for many metering tasks. The development of the multi-stage pump expands the applications range for the GM series considerably. The round 2-stage GM pump has been developed especially for use in high-pressure technology. It masters the particular challenge of conveying small throughputs with low viscosities. The pumps is perfect for 0.05 through 20 cm³/rev feed sizes and is excellently suited for use in high-pressure machines for PUR molded parts, foam slab stock, refrigeration unit insulations and sandwich panels, for example.

GA range for challenging conveying

Manufacturing companies are constantly facing the challenge of making their products and processes more efficient. Oerlikon Barmag has supplemented the tried-and-tested GM range with the GA series, developed especially for the challenging conveying of high-viscosity media. The GA series pumps are available for conveying volumes of between 1.25 – 30 cm³/rev (0.6-144 l/h). They have been designed for pressures of up to 200 bar, for viscosities of up to 1,500 Pas as well as for temperatures of up to max. 225°C. With this range of pumps, Oerlikon Barmag offers its customers tailor-made solutions for many technical processes in which high-precision and even metering is of paramount importance.

The drum pump – conveying and metering using a single unit

With the drum pump, the Oerlikon Barmag pump specialists have created a pump designed specifically for conveying and metering high-viscosity materials such as adhesives, silicones and other high-viscosity materials from drums and other large containers and for pressures of up to 250 bar. Its special features not only include the fact that it removes high-viscosity materials from the drum, but that it also meters the medium directly without any additional interim stops.

Gear pump and drum follower plate are aligned to each other so that the plate can effortlessly reach the bottom of the container, hence leaving a very low residue of < 1%. "This has a positive impact on both the material costs and the production process", sums up Thorsten Wagener. The metering, which to date has been carried out in two steps requiring scoop-piston and metering pumps, can now be merged in into a single unit with the drum pump.

886 words

For further information:

André Wissenberg
Marketing & Corporate Communications
Tel. +49 2191 67-2331
Fax +49 2191 67-1313
andre.wissenberg@oerlikon.com



About Oerlikon

Oerlikon (SIX: OERL) is a leading, globally-active technology group supplying growth markets with market-leading technologies and services for surface solutions, systems for manufacturing manmade fibers, transmission systems and drive solutions as well as prevacuum and high vacuum technologies and pumps and the corresponding accessories. The leading Oerlikon technologies enable customers to increase their product performance and productivity, utilize resources and energy more efficiently and make a contribution towards sustainable development. As a Swiss company with a history stretching back more than 100 years, Oerlikon and its in excess of 15,500 employees are present at more than 200 sites in 36 different countries. In 2014, sales totaled CHF 3.2 billion. The company, which invested CHF 121 million in research and development in 2014, employs more than 1,300 specialists for developing innovative and customer-oriented products and services.

For further information: www.oerlikon.com

About the Oerlikon Manmade Fibers segment

With its Oerlikon Barmag and Oerlikon Neumag brands, Oerlikon Manmade Fibers segment is the world market leader for manmade fiber filament spinning systems, texturing machines, BCF systems, staple fiber systems and artificial turf systems and – as a service provider – offers engineering solutions for the entire textile value added chain. As a future oriented company, the research and development at this division of the Oerlikon Group is driven by energy-efficiency and sustainable technologies. With the expansion of the product range to include polycondensation systems and their key components, the company now caters to the entire process – from the monomer all the way through to the textured yarn. The primary Oerlikon Barmag markets are in Asia, and – for Oerlikon Neumag – in the USA, Turkey and China. Correspondingly, Oerlikon Barmag and Oerlikon Neumag – with just under 2,500 employees – has a worldwide presence in 120 countries as part of the Oerlikon Manmade Fibers network of production, sales and distribution and service organizations. At the R&D centers in Remscheid, Neumünster and Chemnitz, highly-qualified engineers and technicians develop innovative and technologically-leading products for tomorrow's world.

For further information: www.oerlikon.com/manmade-fibers