

Press Release

Protective equipment demands high-end nonwoven products

Tackling coronavirus with meltblown and spunbond technologies

Neumünster, Germany, 19 November 2020 – Since the outbreak of the coronavirus pandemic, the worldwide demand for protective masks and apparel has resulted in a record number of new orders in the high double-digit millions of euros at Oerlikon Nonwoven. The meltblown technology from Neumünster is recognized by the market as being one of the technically most efficient methods for producing highly-separating filter media made from plastic fibers.

The rising demand for protective masks and other medical protective equipment since the start of the coronavirus pandemic and the associated global ramping up of production capacities has also resulted in an increase in the demand for nonwovens for the production thereof. Initially, this resulted in bottlenecks in the provision of meltblown filter nonwovens. To this end, there had until this point be very few producers of medical filter nonwovens outside China. Meanwhile, the demand for spunbond systems is also rising. “Due to the structure of our group, we are in the fortunate position to swiftly reallocate and free up our production capacities. This means that we are able to relatively quickly deliver not only meltblown systems, but also spunbond equipment”, explains Dr. Ingo Mählmann, Head of Sales & Marketing at Oerlikon Nonwoven, talking about the positive situation at the company.

The capacities for respiratory masks available in Europe to date are predominantly manufactured on Oerlikon Nonwoven systems. “Our machines and systems for manufacturing manmade fiber and nonwovens solutions enjoy an outstanding reputation throughout the world. Ever more manufacturers in the most diverse countries are hoping to become independent of imports”, comments Dr. Mählmann. The Oerlikon Nonwoven meltblown systems are being delivered to Germany, China, Turkey, United Kingdom, South Korea, Italy, France, North America and – for the very first time – to Australia until well into 2021.

Quality and efficiency in demand

Depending on the purpose of the application, medical PPE (personal protection equipment) should be breathable and comfortable to wear, protect medical staff against viruses, bacteria and other harmful substances and form a barrier against liquids. For these reasons, they are often made of either pure spunbond or of spunbond-meltblown combinations. Here, the meltblown nonwoven core assumes the

barrier or filter task, while the spunbond has to retain its shape, while being tear-resistant, abrasion-proof, absorbent, particularly flame-resistant and nevertheless extremely soft on the skin.

Oerlikon Nonwoven is one of only a few European systems manufacturers able to offer both meltblown and spunbond systems. The systems are convincing with their combination of effectiveness and productivity, while simultaneously being highly-efficient. The homogeneous nonwoven formation ensures high-quality end products. “We offer our customers systems that are explicitly tailored to their requirements. We supply them with the total package – from the extrusion process all the way through to the nonwoven roll goods, all from a single source”, states Dr. Mählmann.

All masks are not created equal – thanks to the ecuTEC+

Protection against infections such as coronavirus can only be guaranteed with the right quality. On the one hand, this relates to how the masks are made. On the other hand, it is above all – as is so often the case – about what’s inside. Because the nonwoven used in protection classes FFP1 through FFP3 respiratory masks plays a decisive role.

The nonwovens can be electrostatically-charged in order to further improve the filter performance without additionally increasing breathing resistance. Here, Oerlikon Nonwoven’s patented ecuTEC+ electrocharging unit excels in terms of its extreme flexibility. Nonwovens manufacturers can freely choose between numerous variation options and set the optimal charging method and intensity for their specific applications. In this way, even the smallest particles are still attracted and reliably separated by a relatively open-pored nonwoven. Nevertheless, mask wearers are still able to easily breathe in and out due to the comparatively loose formation of the fibers. To this end, it comes as no surprise that all meltblown systems currently destined for the production of mask nonwovens are equipped with the ecuTEC+ unit.

4473 characters including spaces



Caption: The nonwoven used in protection classes FFP1 through FFP3 respiratory masks plays a decisive role.



Caption: Oerlikon Nonwoven meltblown technology.



Caption: Oerlikon Nonwoven spunbond technology.

For further information:

Claudia Henkel
Marketing, Corporate Communications
& Public Affairs
Tel. +49 4321 305 105
Fax +49 4321 305 212
claudia.henkel@oerlikon.com

André Wissenberg
Marketing, Corporate Communications
& Public Affairs
Tel. +49 2191 67 2331
Fax +49 2191 67 1313
andre.wissenberg@oerlikon.com

About Oerlikon

Oerlikon (SIX: OERL) engineers materials, equipment and surfaces and provides expert services to enable customers to have high-performance products and systems with extended lifespans. Drawing on its key technological competencies and strong financial foundation, the Group is sustaining mid-term growth by addressing attractive growth markets, securing structural growth and expanding through targeted mergers and acquisitions. A leading global technology and engineering Group, Oerlikon operates its business in two Divisions – Surface Solutions and Manmade Fibers – and has a global footprint of around 11 000 employees at 182 locations in 37 countries. In 2019, Oerlikon generated CHF 2.6 billion in sales and invested more than CHF 120 million in R&D.

For further information: www.oerlikon.com

About the Oerlikon Manmade Fibers division



With its Oerlikon Barmag, Oerlikon Neumag and Oerlikon Nonwoven brands, the Oerlikon Manmade Fibers division is one of the leading providers of manmade fiber filament spinning systems, texturing machines, BCF systems, staple fiber systems and solutions for the production of nonwovens and – as a service provider – offers engineering solutions for the entire textile value added chain.

As a future-oriented company, the research and development at this division of the Oerlikon Group is driven by energy-efficiency and sustainable technologies (e-save). With its range of polycondensation and extrusion systems and their key components, the company caters to the entire manufacturing process – from the monomer all the way through to the textured yarn. The product portfolio is rounded off with automation and Industrie 4.0 solutions.

The primary markets for the product portfolio of Oerlikon Barmag are in Asia, especially in China, India and Turkey, and – for those of Oerlikon Neumag and Oerlikon Nonwoven – in the USA, Asia, Turkey and Europe. Worldwide, the division – with more than 3,000 employees – has a presence in 120 countries with production, sales and distribution and service organizations. At the R&D centers in Remscheid, Neumünster (Germany) and Suzhou (China), highly-qualified engineers, technologists and technicians develop innovative and technologically-leading products for tomorrow's world.

For further information: www.oerlikon.com/manmade-fiber